

Evaluation de la morbidité de l'hystérectomie de clôture chez 159 patientes présentant un cancer du col localement avancé (Stades IB2 – IVA) ; résultats d'une étude rétrospective multicentrique.

Marchand Eva⁽¹⁾, Héquet Delphine⁽¹⁾, Fourchette Virginie⁽²⁾, de La Rochefordière Anne⁽³⁾, Coutant Charles⁽⁴⁾, Dridi Sabrina⁽⁴⁾, Lecuru Fabrice⁽⁵⁾, Bats Anne-Sophie⁽⁵⁾, Koskas Martin⁽⁶⁾, Bretel Jean-Jacques⁽⁷⁾, Bricou Alexandre⁽⁸⁾, Delpech Yann⁽¹⁾, Barranger Emmanuel⁽¹⁾.

(1) Service de Gynécologie Obstétrique, Hôpital Lariboisière, AP-HP, 2 rue Ambroise Paré, 75010 Paris, France

(2) Service de Chirurgie, Institut Curie Paris, 27 rue d'Ulm, 75005, Paris, France

(3) Service de Radiothérapie, Institut Curie Paris, 27 rue d'Ulm, 75005, Paris, France

(4) Service de Chirurgie, Centre Georges François Leclerc, 1 rue Pr Marion, BP 77 980 21079 Dijon cedex, France

(5) Service de Gynécologie, Hôpital Européen Georges Pompidou, AP-HP, 20, rue Leblanc, 75015, Paris, France

(6) Service de Gynécologie Obstétrique, Hôpital Bichat, AP-HP, 46 Rue Henri Huchard, 75018 Paris, France

(7) Service de Radiothérapie, Hôpital Bichat, AP-HP, 46 Rue Henri Huchard, 75018 Paris, France

(8) Service de Gynécologie Obstétrique, Hôpital Jean Verdier, AP-HP, Avenue du 14 Juillet, 93140 Bondy, France

Bibliographie

1. Keys HM, Bundy BN, Stehman FB, Muderspach LI, Chafe WE, Suggs CL 3rd, et al. Cisplatin, radiation, and adjuvant hysterectomy compared with radiation and adjuvant hysterectomy for bulky stage IB cervical carcinoma. *N Engl J Med.* 1999 Apr;340(15):1154-1161.
2. Whitney CW, Sause W, Bundy BN, Malfetano JH, Hannigan EV, Fowler WC Jr, et al. Randomized comparison of fluorouracil plus cisplatin versus hydroxyurea as an adjunct to radiation therapy in stage IIB-IVA carcinoma of the cervix with negative para-aortic lymph nodes: a Gynecologic Oncology Group and Southwest Oncology Group study. *J Clin Oncol Off J Am Soc Clin Oncol.* 1999 May;17(5):1339-1348.
3. Rose PG, Bundy BN, Watkins EB, Thigpen JT, Deppe G, Maiman MA, et al. Concurrent cisplatin-based radiotherapy and chemotherapy for locally advanced cervical cancer. *N Engl J Med.* 1999 Apr;340(15):1144-1153.
4. Green J, Kirwan J, Tierney J, Vale C, Symonds P, Fresco L, et al. Concomitant chemotherapy and radiation therapy for cancer of the uterine cervix. *Cochrane Database Syst Rev Online.* 2005;(3):CD002225.
5. Reducing uncertainties about the effects of chemoradiotherapy for cervical cancer: a systematic review and meta-analysis of individual patient data from 18 randomized trials. *J Clin Oncol Off J Am Soc Clin Oncol.* 2008 Dec;26(35):5802-5812.

6. Colombo PE, Bertrand MM, Gutowski M, Mourregot A, Fabbro M, Saint-Aubert B, et al. Total laparoscopic radical hysterectomy for locally advanced cervical carcinoma (stages IIB, IIA and bulky stages IB) after concurrent chemoradiation therapy: surgical morbidity and oncological results. *Gynecol Oncol*. 2009 Sep;114(3):404-409.
7. Lavoué V, Voguet L, Bertel C, Mesbah H, Guillaume D, Laguerre B, et al. Place de la chirurgie avant et après radiochimiothérapie des cancers du col localement évolués : à propos de 102 cas. *J Gynécologie Obstétrique Biol Reprod*. 2011 Feb;40(1):11-21.
8. Vincens E, Balleyguier C, Rey A, Uzan C, Zareski E, Gouy S, et al. Accuracy of magnetic resonance imaging in predicting residual disease in patients treated for stage IB2/II cervical carcinoma with chemoradiation therapy: correlation of radiologic findings with surgicopathologic results. *Cancer*. 2008 Oct;113(8):2158-2165.
9. Ferrandina G, Petrillo M, Restaino G, Rufini V, Macchia G, Carbone A, et al. Can radicality of surgery be safely modulated on the basis of MRI and PET/CT imaging in locally advanced cervical cancer patients administered preoperative treatment? *Cancer*. 2012 Jan;118(2):392-403.
10. Chassagne D, Sismondi P, Horiot JC, Sinistrero G, Bey P, Zola P, et al. A glossary for reporting complications of treatment in gynecological cancers. *Radiother Oncol J Eur Soc Ther Radiol Oncol*. 1993 Mar;26(3):195-202.
11. Morice P, Uzan C, Zafrani Y, Delpech Y, Gouy S, Haie-Meder C. The role of surgery after chemoradiation therapy and brachytherapy for stage IB2/II cervical cancer. *Gynecol Oncol*. 2007 Oct;107(1):S122-S124.
12. Houvenaeghel G, Lelievre L, Buttarelli M, Jacquemier J, Carcopino X, Viens P, et al. Contribution of surgery in patients with bulky residual disease after chemoradiation for advanced cervical carcinoma. *Eur J Surg Oncol EJSO*. 2007 May;33(4):498-503.
13. Classe JM, Rauch P, Rodier JF, Morice P, Stoeckle E, Lasry S, et al. Surgery after concurrent chemoradiotherapy and brachytherapy for the treatment of advanced cervical cancer: morbidity and outcome: results of a multicenter study of the GCCLCC (Groupe des Chirurgiens de Centre de Lutte Contre le Cancer). *Gynecol Oncol*. 2006 Sep;102(3):523-529.
14. Touboul C, Uzan C, Mauguén A, Gouy S, Rey A, Pautier P, et al. Morbidité de la chirurgie de clôture après radio-chimiothérapie chez des patientes atteintes d'un cancer du col de stade avancé. *J Gynécologie Obstétrique Biol Reprod*. 2010 Dec;39(8):624-631.
15. Ferrandina G, Margariti PA, Smaniotto D, Petrillo M, Salerno MG, Fagotti A, et al. Long-term analysis of clinical outcome and complications in locally advanced cervical cancer patients administered concomitant chemoradiation followed by radical surgery. *Gynecol Oncol*. 2010 Dec;119(3):404-410.

16. Vizza E, Pellegrino A, Milani R, Fruscio R, Baiocco E, Cognetti F, et al. Total laparoscopic radical hysterectomy and pelvic lymphadenectomy in locally advanced stage IB2-IIB cervical cancer patients after neoadjuvant chemotherapy. *Eur J Surg Oncol EJSO*. 2011 Apr;37(4):364-369.
17. Houvenaeghel G, Lelievre L, Rigouard A-L, Buttarelli M, Jacquemier J, Viens P, et al. Residual pelvic lymph node involvement after concomitant chemoradiation for locally advanced cervical cancer. *Gynecol Oncol*. 2006 Jul;102(1):74-79.
18. Ferrandina G, Distefano M, Ludovisi M, Morganti A, Smaniotto D, D'Agostino G, et al. Lymph node involvement in locally advanced cervical cancer patients administered preoperative chemoradiation versus chemotherapy. *Ann Surg Oncol*. 2007 Mar;14(3):1129-1135.
19. Touboul C, Uzan C, Mauguen A, Gouy S, Rey A, Pautier P, et al. Survie et facteurs pronostiques après chirurgie de clôture chez des patientes atteintes de cancer du col de stade avancé. *Gynécologie Obstétrique Fertil*. 2011 May;39(5):274-280.
20. Delpech Y, Haie-Meder C, Rey A, Zafrani Y, Uzan C, Gouy S, et al. Para-aortic involvement and interest of para-aortic lymphadenectomy after chemoradiation therapy in patients with stage IB2 and II cervical carcinoma radiologically confined to the pelvic cavity. *Ann Surg Oncol*. 2007 Nov;14(11):3223-3231.
21. Carcopino X, Houvenaeghel G, Buttarelli M, Esterni B, Tallet A, Goncalves A, et al. Equivalent survival in patients with advanced stage IB-II and III-IVA cervical cancer treated by adjuvant surgery following chemoradiotherapy. *Eur J Surg Oncol J Eur Soc Surg Oncol Br Assoc Surg Oncol*. 2008 May;34(5):569-575.
22. Legge F, Margariti PA, Lucidi A, Macchia G, Petrillo M, Iannone V, et al. Completion surgery after concomitant chemoradiation in obese women with locally advanced cervical cancer: Evaluation of toxicity and outcome measures. *Acta Oncol*. 2013 Jan;52(1):166-73.
23. Green J, Kirwan J, Tierney J, Vale C, Symonds P, Fresco L, et al. Concomitant chemotherapy and radiation therapy for cancer of the uterine cervix. *Cochrane Database Syst Rev Online*. 2005;(3):CD002225.
24. Maduro JH, Pras E, Willemse PHB, de Vries EGE. Acute and long-term toxicity following radiotherapy alone or in combination with chemotherapy for locally advanced cervical cancer. *Cancer Treat Rev*. 2003 Dec;29(6):471-488.
25. Keys HM, Bundy BN, Stehman FB, Okagaki T, Gallup DG, Burnett AF, et al. Radiation therapy with and without extrafascial hysterectomy for bulky stage IB cervical carcinoma: a randomized trial of the Gynecologic Oncology Group. *Gynecol Oncol*. 2003 Jun;89(3):343-353.

26. Perez CA, Breaux S, Bedwinek JM, Madoc-Jones H, Camel HM, Purdy JA, et al. Radiation therapy alone in the treatment of carcinoma of the uterine cervix. II. Analysis of complications. *Cancer*. 1984 Jul;54(2):235-246.
27. Eifel PJ, Levenback C, Wharton JT, Oswald MJ. Time course and incidence of late complications in patients treated with radiation therapy for FIGO stage IB carcinoma of the uterine cervix. *Int J Radiat Oncol Biol Phys*. 1995 Jul;32(5):1289-1300.
28. Landoni F, Maneo A, Colombo A, Placa F, Milani R, Perego P, et al. Randomised study of radical surgery versus radiotherapy for stage Ib-IIa cervical cancer. *Lancet*. 1997 Aug;350(9077):535-540.
29. Vistad I, Cvancarova M, Kristensen GB, Fosså SD. A study of chronic pelvic pain after radiotherapy in survivors of locally advanced cervical cancer. *J Cancer Surviv Res Pr*. 2011 Jun;5(2):208-216.
30. Ferrandina G, Mantegna G, Petrillo M, Fuoco G, Venditti L, Terzano S, et al. Quality of life and emotional distress in early stage and locally advanced cervical cancer patients: a prospective, longitudinal study. *Gynecol Oncol*. 2012 Mar;124(3):389-394.
31. Plotti F, Sansone M, Di Donato V, Antonelli E, Altavilla T, Angioli R, et al. Quality of life and sexual function after type C2/type III radical hysterectomy for locally advanced cervical cancer: a prospective study. *J Sex Med*. 2011 Mar;8(3):894-904.