

FERTILITÉ ET DEVENIR OBSTETRICAL APRÈS EMBOLISATION DES FIBROMES UTÉRINS.

Vanessa Kahn

5 avenue Emile Deschanel Paris 75007 - Clinique de la Muette 75016 Paris - Hôpital Bichat 75018 Paris.

Bibliographie :

1. Spies JB, Allison S, Flick P, McCullough M, Sterbis K, Cramp M, Bruno J, Jha R. [Polyvinyl alcohol particles and tris-acryl gelatin microspheres for uterine artery embolization for leiomyomas: results of a randomized comparative study](#). J Vasc Interv Radiol. 2004 Aug;15(8):793-800.
2. Ryu RK, Omary RA, Sichlau MJ, Siddiqi A, Chrisman HB, Nemcek AA Jr, Vogelzang RL. [Comparison of pain after uterine artery embolization using tris-acryl gelatin microspheres versus polyvinyl alcohol particles](#). Cardiovasc Intervent Radiol. 2003 Jul-Aug;26(4):375-8.
3. Spies JB et al. Spherical polyvinyl alcohol versus tris acryl gelatin microspheres for uterine artery embolization for leiomyomas : results of a limited randomized comparative study. J Vasc Interv Radiol. 2005 Nov;16(11):1431-7.
4. [Lohle PN, Boekkooi FP, Smeets AJ, Pieters JJ, Vervest HA, Lampmann LE, Sluzewski M](#). Limited uterine artery embolization for leiomyomas with trisa acryl gelatin microspheres : 1 year follow up. J Vasc Interv Radiol. 2006 Feb;17 (2 Pt 1) :283-7.
5. Joffe F, Tubiana JM, Pelage JP, FEMIC(Fibromes Embolisés aux Microsphères calibrées) : Uterine Fibroid Embolization using Tris-acryl Microspheres. A french multicenter study, Cardiovasc Intervent Radiol 2004, 27 :600-606
6. [Abramowitz SD, Israel GM, McCarthy SM, Pollak JS, White RI Jr, Tal MG](#). Comparison of four embolic materials at uterine artery embolization by using postprocedural MR imaging enhancement. [Radiology](#). 2009 Feb;250(2):482-7.
7. Walker WJ, Pelage JP. Uterine artery embolisation for symptomatic fibroids: clinical results in 400 women with imaging follow up. BJOG. 2002;109(11):1262-72.
8. The Ontario Uterine Fibroid Embolization :
 - Pron G, Cohen M, Soucie J, Garvin G, Vanderburgh L, Bell S. The Ontario Uterine Fibroid Embolization Trial. Part 1. Baseline patient characteristics, fibroid burden, and impact on life. Fertil Steril. 2003;79(1):112-9
 - Pron G, Cohen M, Soucie J, Garvin G, Vanderburgh L, Bell S. The Ontario Uterine Fibroid Embolization Trial. Part 1. Baseline patient characteristics, fibroid burden, and impact on life. Fertil Steril. 2003;79(1):112-9.
 - Pron G, Bennett J, Common A, Wall J, Asch M, Sniderman K. The Ontario Uterine Fibroid Embolization Trial. Part 2. Uterine fibroid reduction and symptom relief after uterine artery embolization for fibroids. Fertil Steril. 2003;79(1):120-7
 - Pron G, Mocarski E, Cohen M, Colgan T, Bennett J, Common A, et al. Hysterectomy for complications after uterine artery embolization for leiomyoma: results of a Canadian multicenter clinical trial. J Am Assoc Gynecol Laparosc. 2003;10(1):99-106

- Pron G, Mocarski E, Vilos G et al. Pregnancy after fibroid uterine artery embolization: the Ontario fibroid embolization trial [abstract]. *J Vasc Interv Radiol*. 2003;14:S5

- Pron et al. Technical results and effects of operator experience on uterine artery embolization for fibroids : the Ontario uterine fibroid embolisation trial. *J vasc Interv Radiol*. 2003; 14:545-554

9. O'Grady EA, Moss JG, Belli AM, Thomas S, Nicholl J, Fitzgerald PE. UK Uterine artery embolisation for fibroids registry 2003-2008. BSIR, Bedford UK; 2009.
10. Walker, Mc Dowel, Pregnancy after uterine artery embolization for leiomyomata : A series of 56 completed pregnancies. *Am J Obstet Gynecol* 2006 Nov;195(5):1266-71.
11. Lohle PN, Voogt MJ, De Vries J, Smeets AJ, Vervest HA, Lampmann LE, Boekkooi PF. Long-term outcome of uterine artery embolization for symptomatic uterine leiomyomas. *J Vasc Interv Radiol*. 2008 Mar;19(3):319-26.
12. Goodwin SC, Spies JB, Worthington-Kirsch R, Peterson E, Pron G, Li S, Myers ER; Uterine artery embolization for treatment of leiomyomata: long-term outcomes from the FIBROID Registry. Fibroid Registry for Outcomes Data (FIBROID) Registry Steering Committee and Core Site Investigators. *Obstet Gynecol*. 2008 Jan;111(1):22-33.
13. Spies JB, Spector A, Roth AR, Baker CM, Mauro L, Murphy-Skrynarz K. Complications after uterine artery embolization for leiomyomas. *Obstet Gynecol*. 2002 Nov;100(5 Pt 1):873-80.
14. Godfrey CD, Zbella EA. Uterine necrosis after uterine artery embolization for leiomyoma. *Obstet Gynecol*. 2001 Nov;98(5 Pt 2):950-2.
15. Katsumori T, Nakajima K, Mihara T. Is a large fibroid a high-risk factor for uterine artery embolization? *Am J Roentgenol*. 2003 Nov;181(5):1309-14
16. Firouznia K, Ghanaati H, Sanaati M, Jalali AH, Shakiba M. Uterine artery embolization in 101 cases of uterine fibroids: do size, location, and number of fibroids affect therapeutic success and complications? *Cardiovasc Intervent Radiol*. 2008 May-Jun;31(3):521-6. Epub 2008 Jan 25.
17. Walker, Mc Dowel, Pregnancy after uterine artery embolization for leiomyomata : A series of 56 completed pregnancies. *Am J Obstet Gynecol* 2006 Nov;195(5):1266-71.
18. Walker WJ, Carpenter TT, Kent AS. Persistent vaginal discharge after uterine artery embolization for fibroid tumors: cause of the condition, magnetic resonance imaging appearance, and surgical treatment. *Am J Obstet Gynecol*. 2004 May;190(5):1230-3.
19. Honda I, Sato T, Adachi H, Kobayashi Y, Shimada K, Watanabe H, et al. Uterine artery embolization for leiomyoma: complications and effects on fertility. *Nippon Igaku Hoshasen Gakkai Zasshi* 2003;63(6):294-302.
20. Mara M, Fucikova Z, Kuzel D, Maskova J, Dundr P, Zizka Z Hysteroscopy after uterine fibroid embolization in women of fertile age. *J Obstet Gynaecol Res*. 2007 Jun;33 (3):316-24
21. Agdi M, Valenti D, Tulandi T. Intraabdominal adhesions after uterine artery embolization. *Am J Obstet Gynecol*. 2008 Nov;199(5):482.e1-3. Epub 2008 May 19
22. Chrisman HB, Saker MB, Ryu RK, Nemcek AA, Jr., Gerbie MV, Milad MP, et al. The impact of uterine fibroid embolization on resumption of menses and ovarian function. *J Vasc Interv Radiol*. 2000 Jun;11(6):699-703.
23. Ahmad A, Qadan L, Hassan N, Najarian K. Uterine artery embolization treatment of uterine fibroids: effect on ovarian function in younger women. *J Vasc Interv Radiol*. 2002;13(10):1017-20.

24. Tropeano, Mancuso. Uterine artery embolisation for fibroids does not have adverse effect on ovarian reserve in regular cycling women younger than 40 years. *Fertil Steril* 2004 ; 81 :1055-61
25. Rashid S, Khaund A, Murray LS, Moss JG, Cooper K, Lyons D, Murray GD, Lumsden MA. The effects of uterine artery embolisation and surgical treatment on ovarian function in women with uterine fibroids. *BJOG*. 2010 Jul;117(8):985-9. Epub 2010 May 11.
26. Marret H, Cottier JP, Alonso AM, Giraudeau B, Body G, Herbreteau D. [Predictive factors for fibroids recurrence after uterine artery embolisation.](#) *BJOG*. 2005 Apr;112(4):461-5.
27. Gabriel-Cox K, Jacobson GF, Armstrong MA, Hung YY, Learman LA. Predictors of hysterectomy after uterine artery embolization for leiomyoma. *Am J Obstet Gynecol*. 2007 Jun;196(6):588.e1-6.
28. Moss JG, Cooper KG, Khaund A, Murray LS, Murray GD, Wu O, Craig LE, Lumsden MA. Randomised comparison of uterine artery embolisation (UAE) with surgical treatment in patients with symptomatic uterine fibroids (REST trial): 5-year results. *BJOG*, 2011 Jul;118(8):936-44. doi: 10.1111/j.1471-0528.2011.02952.x. Epub 2011 Apr 12.
29. REST investigators. Uterine-Artery Embolization versus Surgery for Symptomatic Uterine Fibroids. *N Engl J Med* 2007;356:360-70
30. EMMY TRIAL:
 - Hehenkamp WJ, Volkers NA, Birnie E, Reekers JA, Ankum WM. Pain and return to daily activities after uterine artery embolization and hysterectomy in the treatment of symptomatic uterine fibroids: results from the randomized EMMY trial. *Cardiovasc Intervent Radiol*. 2006 Mar-Apr;29(2):179-87. PubMed PMID:16447002.
 - Hehenkamp WJ, Volkers NA, Birnie E, Reekers JA, Ankum WM. Symptomatic uterine fibroids: treatment with uterine artery embolization or hysterectomy- results from the randomized clinical Embolisation versus Hysterectomy (EMMY) Trial.*Radiology*. 2008 Mar;246(3):823-32. Epub 2008 Jan 9. PubMed PMID: 18187401
 - Van der Kooij SM, Hehenkamp WJ, Volkers NA, Birnie E, Ankum WM, Reekers JA. Uterine artery embolization vs hysterectomy in the treatment of symptomatic uterine fibroids: 5-year outcome from the randomized EMMY trial. *Am J Obstet Gynecol*. 2010 Aug;203(2):105.e1-13. Epub 2010 Jul 1. PubMed PMID: 20579960
 - Volkers NA, Hehenkamp WJ, Birnie E, de Vries C, Holt C, Ankum WM, Reekers JA. Uterine artery embolization in the treatment of symptomatic uterine fibroid tumors (EMMY trial): periprocedural results and complications. *J Vasc Interv Radiol*. 2006 Mar;17(3):471-80. PubMed PMID: 16567671
 - Volkers NA, Hehenkamp WJ, Birnie E, Ankum WM, Reekers JA. Uterine artery embolization versus hysterectomy in the treatment of symptomatic uterine fibroids : 2 years outcome from the randomized EMMY trial. *Am J Obstet Gynecol*.2007 Jun;196(6):519.e1-11. PubMed PMID: 17547877
 - Volkers NA, Hehenkamp WJ, Smit P, Ankum WM, Reekers JA, Birnie E. Economic evaluation of uterine artery embolization versus hysterectomy in the treatment of symptomatic uterine fibroids: results from the randomized EMMY trial. *J Vasc Interv Radiol*. 2008 Jul;19(7):1007-16; quiz 1017. PubMed PMID: 18589314.
31. Worthington-Kirsch, Spies, Myers, Mulgund, Mauro, Pron, Goodwin. The Fibroid Registry for outcomes data for uterine embolization, *Obstet and Gynecol* 2005 ; 106 :52-9
32. Pinto Pabón I, Chimeno P, Romo A, Paúl L, Haya J, de la Cal MA, Bajo J. [Uterine fibroids: uterine artery embolization versus abdominal hysterectomy for treatment--a prospective, randomized, and controlled clinical trial.](#) *Radiology*. 2003 Feb;226(2):425-31.
33. HOPEFUL:
 - Hirst A, Dutton S, Wu O, Briggs A, Edwards C, Waldenmaier L, Maresh M, Nicholson A, McPherson K. [A multi-centre retrospective cohort study comparing the efficacy, safety and](#)

- cost-effectiveness of hysterectomy and uterine artery embolisation for the treatment of symptomatic uterine fibroids. The HOPEFUL study. *Health Technol Assess.* 2008 Mar;12(5):1-248, iii
- Wu O, Briggs A, Dutton S, Hirst A, Maresh M, Nicholson A, McPherson K. Uterine artery embolisation or hysterectomy for the treatment of symptomatic uterine fibroids: a cost-utility analysis of the HOPEFUL study. *BJOG.* 2007 Nov;114(11):1352-62. PubMed PMID: 17949377.
 - Dutton S, Hirst A, McPherson K, Nicholson T, Maresh M. A UK multicentre retrospective cohort study comparing hysterectomy and uterine artery embolisation for the treatment of symptomatic uterine fibroids (HOPEFUL study): main results on medium-term safety and efficacy. *BJOG.* 2007 Nov;114(11):1340-51. PubMed PMID: 17949376..
34. [Goldberg J](#), [Bussard A](#), [McNeil J](#), [Diamond J](#). Cost and reimbursement for three fibroid treatments: abdominal hysterectomy, abdominal myomectomy, and uterine fibroid embolization. *Cardiovasc Intervent Radiol.* 2007 Jan-Feb;30(1):54-8.
 35. Siskin GP, Shlansky-Goldberg RD, Goodwin SC, Sterling K, Lipman JC, Noshier JL, et al. A prospective multicenter comparative study between myomectomy and uterine artery embolization with polyvinyl alcohol microspheres : long term clinical outcomes in patients with symptomatic uterine fibroids. *J Vasc Interv Radiol.* 2006; 17:1287-1295
 36. Goodwin SC, Bradley LD, Lipman JC, Stewart EA, Noshier JL, Sterling KM, et al. Uterine artery embolization versus myomectomy: a multicenter comparative study. *Fertil Steril.* 2006 Jan;85(1):14-21.
 37. [Razavi MK](#), [Hwang G](#), [Jahed A](#), [Modanlou S](#), [Chen B](#) . Abdominal myomectomy versus uterine fibroid embolization in the treatment of symptomatic uterine leiomyomas. *Am J Roentgenol.* 2003 Jun;180(6):1571-5.
 38. Mara M, Fucikova Z, Maskova J, Kuzel D, Haakova L. Uterine fibroid embolization versus myomectomy in women wishing to preserve fertility: preliminary results of a randomized controlled trial. *Eur J Obstet Gynecol Reprod Biol.* 2006 Jun 1;126(2):226-33. Epub 2005 Nov 15. PubMed PMID: 16293363.
 39. Mara M, Maskova J, Fucikova Z, Kuzel D, Belsan T, Sosna O. Midterm clinical and first reproductive results of a randomized controlled trial comparing uterine fibroid embolization and myomectomy. *Cardiovasc Intervent Radiol.* 2008 Jan-Feb;31(1):73-85. Epub 2007 Oct 18. PubMed PMID: 17943348; PubMed Central PMCID: PMC2700241
 40. [Narayan A](#), [Lee AS](#), [Kuo GP](#), [Powe N](#), [Kim HS](#). Uterine artery embolization versus abdominal myomectomy: a long-term clinical outcome comparison. *J Vasc Interv Radiol.* 2010 Jul;21(7):1011-7. Epub 2010 May 31.
 41. Manyonda IT, Bratby M, Horst JS, Banu N, Gorti M, Belli AM. Uterine Artery Embolization versus Myomectomy: Impact on Quality of Life-Results of the FUME (Fibroids of the Uterus: Myomectomy versus Embolization) Trial. *Cardiovasc Intervent Radiol.* 2011 Jul 20. [Epub ahead of print]
 42. Broder MS, Goodwin S, Chen G, Tang LJ, Costantino MM, Nguyen MH, et al. Comparison of long-term outcomes of myomectomy and uterine artery embolization. *Obstet Gynecol.* 2002;100(5 Pt 1):864-8
 43. [Pinto Pabón J](#), [Magret JP](#), [Unzurrunzaga EA](#), [García IM](#), [Catalán IB](#), [Cano Vieco ML](#). Pregnancy after uterine fibroid embolization: follow-up of 100 patients embolized using tris-acryl gelatin microspheres. *Fertil Steril.* 2008 Dec;90(6):2356-60. Epub 2008 Mar 12.
 44. Pisco JM, Duarte M, Bilhim T, Cirurgião F, Oliveira AG. Pregnancy after uterine fibroid embolization. *Fertil Steril.* 2011 Mar 1;95(3):1121.e5-8. Epub 2010 Sep 25.

45. Homer H, Saridogan E. Uterine artery embolization for fibroids is associated with an increased risk of miscarriage. *Fertil Steril*. 2010 Jun;94(1):324-30. Epub 2009 Apr 9
46. Tixier H, Grevoul J, Loffroy R, Lauferon J, Guiu B, Mutamba W, Filipuzzi L, Cercueil JP, Douvier S, Krause D, Sagot P. Preoperative embolization or ligation of the uterine arteries in preparation for conservative uterine fibroma surgery. *Acta Obstet Gynecol Scand*. 2010 Oct;89(10):1310-5.
47. Ravina JH, Herbreteau D, Ciraru-Vigneron N, Bouret JM, Houdart E, Aymard A, et al. Arterial embolisation to treat uterine myomata. *Lancet* 1995;346(8976):671-2.
48. Dumoussset E, Chabrot P, Rabischong B, Mazet N, Nasser S, Darcha C, Garcier JM, Mage G, Boyer L. Preoperative uterine artery embolization (PUAE) before uterine fibroid myomectomy. *Cardiovasc Intervent Radiol*. 2008 May-Jun;31(3):514-20.
49. Malartic C, Morel O, Fargeaudou Y, Le Dref O, Fazel A, Barranger E, Soyer P Conservative two-step procedure including uterine artery embolization with embosphere and surgical myomectomy for the treatment of multiple fibroids: Preliminary experience. *Eur J Radiol*. 2010 Nov 26. [Epub ahead of print]
50. Hald K, Noreng HJ, Istre O, Kløw NE. Uterine artery embolization versus laparoscopic occlusion of uterine arteries for leiomyomas: long-term results of a randomized comparative trial. *J Vasc Interv Radiol*. 2009 Oct;20(10):1303-10; quiz 1311. Epub 2009 Aug 26.
51. Spies JB, Benenati JF, Worthington-Kirsch RL, Pelage JP. Initial experience with use of tris-acryl gelatin microspheres for uterine artery embolization for leiomyomata. *J Vasc Interv Radiol* 2001;12(9):1059-63.
52. Pelage JP, Le Dref O, Beregi JP, Nonent M, Robert Y, Cosson M, et al. Limited uterine artery embolization with tris-acryl gelatin microspheres for uterine fibroids. *J Vasc Interv Radiol* 2003;14(1):15-20.
53. Jha RC, Ascher SM, Imaoka I, Spies JB. Symptomatic fibroleiomyomata: MR imaging of the uterus before and after uterine arterial embolization. *Radiology* 2000;217(1):228-35.
54. Banovac F, Ascher SM, Jones DA, Black MD, Smith JC, Spies JB. Magnetic resonance imaging outcome after uterine artery embolization for leiomyomata with use of tris-acryl gelatin microspheres. *J Vasc Interv Radiol* 2002;13(7):681-8.
55. Pelage JP, Guaou NG, Jha RC, Ascher SM, Spies JB. Uterine fibroid tumors: long-term MR imaging outcome after embolization. *Radiology* 2004;230(3):803-9.
56. Claudio E Bunduki Clinics (Sao Paulo). 2011 A Pregnancy after uterine arterial embolization
57. Redecha M Jr (B) , Arch Gynecol Obstet.Slovaquie 2013 Pregnancy after uterine artery embolization for the treatment of myomas: a case series.
58. Mc Lucas, Minim Invasive Ther Allied Technol 2013© Pregnancy following uterine artery embolization: an update.
59. In press Uterine artery embolization for severe symptomatic fibroids: good for symptoms, not for fertility A.Torre, B.Paillusson, V.Kahn P.Labauge, J.P.Pelage, A.Fauconnier
60. Maria Memtsa¹and Hayden Homer: Complications Associated with Uterine Artery Embolisation for Fibroids, *Obstetrics and Gynecology International* Volume 2012 (2012), Article ID 290542
61. Journal de gynécologie obstétrique décembre 2011 n°8 Recommandations pour la pratique clinique, Actualisation de la prise en charge des myomes. Vanessa Kahn, Audrey Fohlen, Jean-Pierre Pelage. Place de l'embolisation dans le traitement des fibromes